



PERSPECTIVE OF DOUBLE DECK HUTCHES HUNG ON 2x4 POSTS 8'-0" O.C.



PERSPECTIVE OF DOUBLE DECK HUTCHES WITH 2x2 LEGS



PERSPECTIVE OF SINGLE DECK HUTCHES WITH 2x2 LEGS

NOTE:  
POULTRY NETTING NOT SHOWN  
ON THESE PERSPECTIVES.

COOPERATIVE EXTENSION WORK IN  
AGRICULTURE AND HOME ECONOMICS  
NORTH CAROLINA STATE UNIVERSITY  
BIOLOGICAL & AGRICULTURAL ENGINEERING DEPT.  
Ext. Biol. & Agr. Eng. (988) - Raleigh, N. C.  
UNITED STATES DEPARTMENT OF AGRICULTURE COOPERATING

HUTCHES FOR RABBITS

N.M. & CAL. '72 6137 SHEET 1 OF 4


BASED ON NEW MEXICO PLAN









- NOTE
1. COVER ALL EXPOSED CHEWABLE EDGES WITH METAL.
  2. ALL PLYWOOD TO PLYWOOD JOINTS SHOULD BE NAILED AND GLOUED.
  3. HARDBOARD IS 1/4" TEMPERED.
  4. PLYWOOD IS 1/2" A-C EXT. DFPA




- NOTES:
- A. THE FEED HOPPER, MADE FROM A 5-GALLON CAN, SUPPLIES FEED TO BOTH UNITS OF A DOUBLE HUTCH BEGINNING 4 1/2-INCHES FROM THE BOTTOM OF THE CAN. CUT AN OPENING 3 3/4-INCHES HIGH AND 3 1/4-INCHES WIDE. TURN INSIDE 1/4-INCH TO MAKE SMOOTH EDGE.
  - B. THE BAFFLE, LID, AND DIVIDER ARE MADE FROM 24-GAUGE GALVANIZED METAL. TO OBTAIN OTHER 1/2"-PATTERN INSERT TABS THROUGH SLOTS SHOWN AND BEND ON THREE SIDES 1/4-INCH IS FOLDED BACK TO MAKE A SMOOTH EDGE, AND THE 1-INCH IS BENT DOWN AT RIGHT ANGLES TO HOLD THE LID IN PLACE. THIS ALLOWS THE CAPTAKER TO SLIDE THE LID OFF THE CAN WHEN REPLENISHING THE SUPPLY OF PELLETS.




RABBIT NEST BOX - SIDE VIEW



RABBIT NEST BOX DRAWER



DETAIL "A"



PERSPECTIVE RABBIT NEST BOX

COOPERATIVE EXTENSION WORK IN AGRICULTURE AND HOME ECONOMICS STATE OF GEORGIA UNIVERSITY OF GEORGIA COLLEGE OF AGRICULTURE AND MECHANICAL ENGINEERING

HUTCHES FOR RABBITS	
N. M. 8 CAL. '72	6137
SHEET 4 OF 4	

BASED ON CALIF. PLAN NO. OSA #210